The VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time has features making daily cleaning tasks easier, faster and safer. VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. The VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter. Go to the specific factsheet for further information.

- Quick release adjustable push handle for easy and ergonomic maneuvering of the machine
- Emptying the container without having to remove the motor head makes operation fast and easy without risk of damage to critical components



Picture shown may not represent model quoted

- By transferring the weight as you lift the container, the Nilfisk Ergo Tipping system enables you to empty a completely filled container of fluid without excessive effort
- · Easy changing of filters with the hinged motor head protects the machines and speeds up the process
- · The VL500 can be used in both wet or dry applications without the need to change filters

Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
Hose Vacuun	n Cleaner					
9	HOSE D40 2.5M CPL	107407336	1	•	•	•
Vac Nozzle V	Vet					
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1			
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•
Hard Floor No	ozzle					
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
Crevice Nozz	le					
	CREVICE NOZZLE D40	107408850	1	•	•	•
Filter						
	CARTRIDGE FILTER	107407300	1			•
	SACK FILTER	107407304	1	•	•	
Special Filter						



	Included accessories	Ref. no.	Min. required	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
	WET FILTER	107407302	1			•
Tube						
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•
Other						
	TUBEHOLDER D40	107407335	1	•	•	•

Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
Hose Vacuum	n Cleaner					
9	HOSE D40 2.5M CPL	107407336	1	•	•	•
Vac Nozzle W	/et					
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1			
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•
Hard Floor No	ozzle					
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
Crevice Nozz	le					
	CREVICE NOZZLE D40	107408850	1	•	•	•
Filter						
	CARTRIDGE FILTER	107407300	1	•	•	•
	SACK FILTER	107407304	1			
Special Filter						
9	WET FILTER	107407302	1	•	•	•
Tube						
						-



Included accessories		Ref. no.	Min. required	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ	
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•	
Other	Other						
	TUBEHOLDER D40	107407335	1	•	•	•	

Standard equipment

 Standard equipmer 	nt .					
	Included accessories	Ref. no.	Min. required	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50 60HZ
Hose Vacuui	m Cleaner			'		
9	HOSE D40 2.5M CPL	107407336	1	•	•	•
Vac Nozzle \	Vet					
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1			
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•
Hard Floor N	lozzle					
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
Crevice Noz	zle					
	CREVICE NOZZLE D40	107408850	1	•	•	•
Filter						
	CARTRIDGE FILTER	107407300	1	•	•	•
	SACK FILTER	107407304	1			
Special Filter	r					
8	WET FILTER	107407302	1	•	•	•
Tube						
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•
Other						
	TUBEHOLDER D40	107407335	1	•	•	•



The future of wet and dry vacuum cleaning			
Model	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
Ref. no.	107405158	107405159	107405163
PRODUCT FEATURES			
Dual power		•	
Tube holder	•	•	•
Dual filter system			•
Folding transport handle			•
Adjustable handle			•
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping			•
Model	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
Ref. no.	107405164	107405174	107405185
PRODUCT FEATURES			
Dual power	•	•	•
Tube holder	•	•	•
Dual filter system	•	•	•
Folding transport handle	•	•	•
Adjustable handle	•	•	•
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping	•	•	•
Model	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-60HZ
Ref. no.	107405203	107405536	107407462
PRODUCT FEATURES			
Dual power	•	•	•
Tube holder	•	•	•
Dual filter system	•	•	•
Folding transport handle	•	•	
Adjustable handle	•	•	
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping	•	•	



T ()				
The future	OT WAT	and dry	/ Vacillim	Claaning
THE IULUIE	OI WEL	and dry	, vacuum	Cicarining

Technical specifications	VL500 75-1 BSF	VL500 75-2 BSF	VL500 75-1 EDF
Plug type	220-240V/50-60 EU EU	220-240V/50-60 EU EU	220-240V/50-60 EU EU
Cable length (m)/ plug type	10/EU	10/EU	10/EU
Voltage (V)	220-240	220-240	NEW
Frequency (Hz)	50-60	50-60	50-60
Voltage/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60
IP protection class	IP24	IP24	IP24
Rated power (W)	1350	2500	1350
Power Piec (W)	1250	2400	1250
Suction power end of tube (W)	200	200	200
Airflow (I/sec.)	48	72	48
Vacuum at nozzle (kPa)	20	21	20
Sound pressure level (dB(A) BS 5415)	64	66	64
Sound power level (dB(A) IEC 704)	82	84	82
Cable length (m)	10	10	10
Tank capacity (I)	75	75	75
Dust bag capacity (I)	44	44	44
Sack filter area (cm²)	1840	1840	-
Wet filter area (cm²)	-	-	1840
Cartridge filter area (optional) (cm²)	-	-	4410
Hose length (m)	2.5	2.5	2.5
Inlet (mm)	40	40	40
Length x width x height (mm)	840x620x1000	840x620x1000	660x620x1030
Weight (kg)	26	27	27.5
Technical specifications	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
Plug type	EU	UK	AU/NZ
Cable length (m)/ plug type	10/EU	10/UK	10/AUS
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50
Voltage/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50
IP protection class	IP24	IP24	IP24
Rated power (W)	2500	2500	2500
Power Piec (W)	2400	2400	2400
Suction power end of tube (W)	200	200	200
Airflow (I/sec.)	72	72	72
Vacuum at nozzle (kPa)	21	21	21
Sound pressure level (dB(A) BS 5415)	66	66	66
Country procedure level (ab(n) be of to)	30	00	00



The	future	of wet	and	drv	vacuum	cleaning
1110	iuluic	OI WEL	anu	uly	vacuum	Cicaring

Technical specifications	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
Sound power level (dB(A) IEC 704)	84	84	84
Cable length (m)	10	10	10
Tank capacity (I)	75	75	75
Dust bag capacity (I)	44	44	44
Sack filter area (cm²)	-	-	-
Wet filter area (cm²)	1840	1840	1840
Cartridge filter area (optional) (cm²)	4410	4410	4410
Hose length (m)	2.5	2.5	2.5
Inlet (mm)	40	40	40
Length x width x height (mm)	660x620x1030	660x620x1030	660x620x1030
Weight (kg)	28.5	28.5	28.5
Technical specifications	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-60HZ
Plug type	ZA	CN	EU
Cable length (m)/ plug type	10/ZA	10/CN	10/EU
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Voltage/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60
IP protection class	IP24	IP24	IP24
Rated power (W)	2500	2500	2500
Power Piec (W)	2400	2400	2400
Suction power end of tube (W)	200	200	200
Airflow (I/sec.)	72	72	72
Vacuum at nozzle (kPa)	21	21	21
Sound pressure level (dB(A) BS 5415)	66	66	66
Sound power level (dB(A) IEC 704)	84	84	84
Cable length (m)	10	10	10
Tank capacity (I)	75	75	75
Dust bag capacity (I)	44	44	44
Sack filter area (cm²)	-	-	-
Wet filter area (cm²)	1840	1840	1840
Cartridge filter area (optional) (cm²)	4410	4410	4410
Hose length (m)	2.5	2.5	2.5
Inlet (mm)	40	40	40
Length x width x height (mm)	660x620x1030	660x620x1030	840x620x1000
Weight (kg)	28.5	28.5	28



 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
Tube						
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•
Filter Bag						
reis.	FLEECE FILTER BAG PU 5 PCS	302002892	1	0	0	0
Squeegee, B	lade, Skirt and Splash Guard					
	SQUEEGEE COMPLETE ANTHRACIT	107407051	1	0	0	0
Filter						
	CARTRIDGE FILTER	107407300	1			•
	HEPA CARTRIDGE FILTER	107409007	1	0	0	0
	SACK FILTER	107407304	1	•	•	
Special Filter						
0	WET FILTER	107407302	1	0	0	•
Crevice Nozz	cie					
	CREVICE NOZZLE D40	107408850	1	•	•	•
Other						
	TUBEHOLDER D40	107407335	1	•	•	•
Hard Floor N	ozzle					
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
Hose Vacuur	n Cleaner					
9	HOSE D40 2.5M CPL	107407336	1	•	•	•
Vac Nozzle V	Vet					
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	0	0	0
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•
System 50 H	ose Vacuum Cleaner					
	HOSE CONNECTION Ø50 PVC	6330	0	0	0	0



Accessories	Ref. no.	Min. required	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	0	0	0
SLEEVE CPL - VACUUM SIDE - D50/D50	15101	0	0	0	0

• Stanc	lard equipment) e.	ipplementary accessories.	П	Mountable equipment

 Standard equipment 	t, [○] Supplementary accessories, [□] Mountable equipment							
	Accessories	Ref. no.	Min. required	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ		
Tube								
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•		
Filter Bag	Filter Bag							
500	FLEECE FILTER BAG PU 5 PCS	302002892	1	0	0	٥		
Squeegee, B	lade, Skirt and Splash Guard	'						
	SQUEEGEE COMPLETE ANTHRACIT	107407051	1	0	0	0		
Filter								
	CARTRIDGE FILTER	107407300	1	•	•	•		
	HEPA CARTRIDGE FILTER	107409007	1	0	0	0		
	SACK FILTER	107407304	1					
Special Filter								
8	WET FILTER	107407302	1	•	•	•		
Crevice Nozz	le							
	CREVICE NOZZLE D40	107408850	1	•	•	•		
Other								
	TUBEHOLDER D40	107407335	1	•	•	•		
Hard Floor No	ozzle							
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•		
Hose Vacuun	n Cleaner							
9	HOSE D40 2.5M CPL	107407336	1	•	•	•		
Vac Nozzle V	Vet							



	Accessories	Ref. no.	Min. required	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	0	0	0
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•
System 50 Ho	System 50 Hose Vacuum Cleaner					
	HOSE CONNECTION Ø50 PVC	6330	0	0	0	0
	HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	0	0	0
	SLEEVE CPL - VACUUM SIDE - D50/D50	15101	0	0	0	0

ullet Standard equipment, ${}^\bigcirc$ Supplementary accessories, ${}^\square$ Mountable equipment

					\/I 500 75 0	\// 500 75 0	
	Accessories	Ref. no.	Min. required	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50 60HZ	
Tube							
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•	
Filter Bag							
Fei.8	FLEECE FILTER BAG PU 5 PCS	302002892	1	0	0	0	
Squeegee, E	lade, Skirt and Splash Guard						
	SQUEEGEE COMPLETE ANTHRACIT	107407051	1	0	0	0	
Filter							
	CARTRIDGE FILTER	107407300	1	•	•	•	
	HEPA CARTRIDGE FILTER	107409007	1	0	0	0	
	SACK FILTER	107407304	1			0	
Special Filter							
9	WET FILTER	107407302	1	•	•	•	
Crevice Noz	Crevice Nozzle						
	CREVICE NOZZLE D40	107408850	1	•	•	•	
Other							
	TUBEHOLDER D40	107407335	1	•	•	•	
Hard Floor N	lozzle						
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•	



	Accessories	Ref. no.	Min. required	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50 60HZ	
Hose Vacuum	Hose Vacuum Cleaner						
9	HOSE D40 2.5M CPL	107407336	1	•	•	•	
Vac Nozzle V	Vet						
1	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	0	0	0	
	HARDFLOOR NOZZLE 400MM X Ø40MM - KIT	107416577	1	•	•	•	
System 50 Hose Vacuum Cleaner							
	HOSE CONNECTION Ø50 PVC	6330	0	0	0	0	
	HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	0	0	0	
	SLEEVE CPL - VACUUM SIDE - D50/D50	15101	0	0	0	0	

